

524-591

12/11/2013

1/3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Washington, D.C. 20460

OFFICE OF
CHEMICAL SAFETY AND
POLLUTION PREVENTION

DEC 11 2013

Annette M. Kirk
Monsanto Company
1300 I Street, NW
Suite 450 East
Washington, DC 20005

Subject: Supplemental Label: Pre-plant, At-Planting, and Pre-emergence Applications in
Field Corn
MON 63410 HERBICIDE
EPA Reg. No. 524-591
Date Submitted: September 26, 2013

Dear Ms. Kirk:

The supplemental labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended is acceptable.

At your next label printing, or within eighteen (18) months of the date of this letter, whichever comes first, you must incorporate this supplemental labeling into the main product labeling. A stamped copy of your label is enclosed for your records. If you have any questions, please contact Maggie Rudick at (703) 347-0257 or rudick.maggie@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Kable Bo Davis".

Kable Bo Davis
Product Manager 25
Herbicide Branch
Registration Division (7505P)

SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL AFFIXED TO THE CONTAINER FOR WARRANT HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING. Use of *[Insert Brand Name]* according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container and in this supplemental labeling for *[Insert Brand Name]*.

It is a violation of federal law to use this product in any manner inconsistent with its labeling. The labeling must be in the possession of the user at the time of herbicide application.

This supplemental label expires on January 1, 2016 and must not be used or distributed after this date.

Primary Brand Name:
MON63410 Herbicide
Alternate Brand Name:
WARRANT® Herbicide

EPA Reg. No. 524-591

SHAKE WELL BEFORE USING

For Preplant, At-Planting, and Preemergence Applications in Field Corn

In the following States only:

**Alabama, Arkansas, Georgia, Louisiana, Mississippi, New Mexico, North Carolina,
Oklahoma, South Carolina, Tennessee, Texas, and Virginia**

Keep Out of Reach of Children.

CAUTION!

In case of an emergency involving this product, call collect, day or night, 314-694-4000.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This label must be in the possession of the user at the time of herbicide application.


See the "Product Information" and "Mixing, Spraying, and Handling Instructions" sections of the main label booklet for *[Insert Brand Name]* for essential product information.

Read the "Limit of Warranty and Liability" in the main label booklet for *[Insert Brand Name]* before using. These terms apply to this supplemental label and if these terms are not acceptable, return the product unopened at once.

FIELD CORN

Approved Application System
Ground: Broadcast boom

Approved Application Method
Preplant, At-Planting, Preemergence Surface



When applied preplant, at-planting, or preemergence in field corn and production seed corn, including Corn Hybrids with Roundup Ready 2 Technology, this product will provide preemergence control or reduced competition of the annual weeds listed in the "WEEDS CONTROLLED" section of the main label booklet for [Insert Brand Name]. If weeds are emerged at the time of application, apply a labeled postemergence herbicide to control emerged weeds. Use of a residual herbicide for the control of weeds not listed on the [Insert Brand Name] label is recommended. Applications may be made in a tank mixture with the products listed below. Observe all directions for use, precautions, and restrictions on the labeling of the tank mixed postemergence herbicide or residual herbicide.

Approved Application Method

Preplant, At-planting or Preemergence Surface

[Insert Brand Name] may be applied preplant, at-planting or preemergence to **field corn and production seed corn** at 1.5 to 3 quarts per acre (qts/A) according to the rate table below. Apply broadcast to the soil surface according to the rate table listed below. Mechanical incorporation is not recommended. This product applied alone will not control emerged weeds.

[Insert Brand Name] may be applied preplant, at-planting or preemergence in a tank-mixture with the following products for improved residual weed control spectrum. Ensure that the specific product being used in the tank-mixture is registered for application preemergence to field corn. Read and follow label directions of all products in the tank-mixture. The most restrictive label directions apply.

The user is responsible for ensuring that the specific application being made is included on the labeling of the tank mixture product being used.

[Insert active ingredient(s), and/or brand name of product(s) containing the following active ingredient(s), that are, at the time of label printing registered for use preplant or preemergence in field corn:

Aim EC, carfentrazone, Balance PRO, Balance Flexx, isoxaflutole, Callisto, mesotrione, Clarity, dicamba, Distinct, diflufenzopyr, Linex 4L, Lorox DF, linuron, Marksman, Princep, simazine, Resource, flumiclorac, Roundup Brand Agricultural herbicides, 2,4-D, Atrazine.]

Application of this product followed by conditions that do not favor adequate crop growth or which cause stress (cold, wet soils), or under waterlogged conditions from excessive irrigation or rainfall, may result in crop response. Do not apply if these conditions are forecast within 10 days of application. Application of this product with other residual herbicides may increase the potential for crop injury.

DO NOT use [Insert Brand Name] preplant, at-planting, or preemergence to sweet corn.

DO NOT exceed 4 quarts per acre per season of [Insert Brand Name] when making a second application, including postemergence applications. Read and follow the use instructions for postemergence applications to corn in the main label booklet for [Insert Brand Name].

SOIL TEXTURAL GROUP	BROADCAST RATE PER ACRE*					
	Less than 3% Organic Matter (quarts)			3% or More Organic Matter (quarts)		
Coarse	1.5	to	2.0	2.0		
Medium	1.5	to	2.75	2.0	to	2.75
Fine	1.5	to	2.75	2.75	to	3.0

* Use the higher rate in the range for areas of heavy weed infestation.

© 2013 MONSANTO COMPANY

Roundup, Roundup Ready, and WARRANT are trademarks of Monsanto Technology LLC. All other trademarks are the property of their respective owners.